FloraDuo® Expert Recirculating

• Nutrient solution runoff drains

to reservoir and is reused.

• Typically, "soil" gardens are NOT recirculating.

GROWTH	WEEK 1 400 - 600 total ppm	Seedling						
PHASE 18 HOUR	WEEK 2* 800 - 1000 total ppm	Early Grow						
PHOTOPERIOD	WEEK 3* 1200 - 1400 total ppm	Late Growt						
	WEEK 4 1100 - 1300 total ppm	Transition						
	WEEK 5 1200 - 1400 total ppm	Early Bloor						
	WEEK 6** 1200 - 1400 total ppm	Early Bloor						
BLOOM PHASE	WEEK 7** 1200 - 1400 total ppm	Mid Bloom						
12 HOUR	WEEK 8 1200 - 1400 total ppm	Mid Bloon						
PHOTOPERIOD	WEEK 9 1100-1400 total ppm	Late Bloom						
	WEEK 10 1100-1400 total ppm	Late Bloom						
	WEEK 11 900 - 1100 total ppm	Ripen						
	WEEK 12 0 - 200 total ppm	Flush						

*For additional weeks of growth, repeat week 2 or 3.

**For additional weeks of bloom, repeat week 6 or 7. Do not premix nutrients, add to water only.

BASE NUTRIENT

5ml

10ml

15ml

10ml

7.5ml

7.5ml

7.5ml

7.5ml

5ml

5ml

2.5ml

2.5ml

5ml

5ml

10ml

15ml

15ml

15ml

15ml

15ml

15ml

7.5ml

ROOTS

2.5ml

2.5ml

2.5ml

1ml

1ml

1ml

WEIGHT

~

2.5ml

2.5ml

2.5ml

2.5ml

5ml

5ml

5ml

10ml

10ml

5ml

5ml

5ml

5ml

5ml

NUTRIENT

5ml

Monitor plants for signs of stress when feeding aggressive formulas

Amounts per 3.79 liters (1 US Gallon)

Recirculating Nutrient Solution Tips

- When growing plants in coco media or with reverse osmosis water use 5ml of CALIMAGic per gallon during the first two weeks.
- Keep nutrient solution temperature below 75° F (24° C).
- Change nutrient solution every 7-10 days and top off with fresh water between nutrient changes.
- Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 6.5.

† For specific growth stages, Floralicious Grow or Bloom may be used in place of Floralicious Plus

Troubleshooting factors to consider:

AROMA & SIZE

1ml

10ml

10ml

10ml

5ml

5ml

5ml

 Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.

FLAVOR

5ml

5ml

5ml

10ml

10ml

10ml

10ml

10ml

0.5 tsp

10ml

RIPENING \ FLUSH

• The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.

Flora Duo® Simple Recirculating

- Nutrient solution runoff drains to reservoir and is reused
- Typ

eser von and is reused.					_	_			
pically, "soil" gardens are NOT recirculating.		BASE NUTRIENT		NUTRIENT	ROOTS	WEIGHT	AROMA		
	GROWTH PHASE 18 HOUR PHOTOPERIOD	WEEK 1 300 - 500 total ppm	Seedling	5ml	2.5ml	5ml	2.5ml	~	1ml
		WEEK 2* 700 - 900 total ppm	Early Growth	10ml	5ml	5ml	2.5ml	~	1ml
		WEEK 3* 1100 - 1300 total ppm	Late Growth	15ml	5ml	5ml	2.5ml	~	1ml
	BLOOM PHASE 12 HOUR PHOTOPERIOD	WEEK 4 1000 - 1200 total ppm	Transition	10ml	10ml	5ml	1ml	~	1ml
		WEEK 5 1100 - 1300 total ppm	Early Bloom	7.5ml	15ml	5ml	1ml	2ml	1ml
		WEEK 6** 1100 - 1300 total ppm	Early Bloom	7.5ml	15ml	5ml	1ml	2ml	1ml
		WEEK 7** 1100 - 1300 total ppm	Mid Bloom	7.5ml	15ml	5ml	~	2ml	1ml
		WEEK 8 1100 - 1300 total ppm	Mid Bloom	7.5ml	15ml	5ml	~	2ml	1ml
		WEEK 9 1000 - 1200 total ppm	Late Bloom	5ml	15ml	5ml	~	2.5ml	1ml
		WEEK 10 1000 - 1200 total ppm	Late Bloom	5ml	15ml	5ml	~	2.5ml	1ml
		WEEK 11 400 - 600 total ppm	Ripen	2.5ml	7.5ml	~		~	1ml
		WEEK 12 0 - 200 total ppm	Flush	~	~	~			~
	*For additional weeks of growth,		Do not premix nutrients,		Monitor plants for signs of stress when				

*For additional weeks of growth, repeat week 2 or 3. **For additional weeks of bloom. repeat week 6 or 7.

Amounts per 3.79 liters (1 US Gallon)

Recirculating Nutrient Solution Tips

· When growing plants in coco media or with reverse osmosis water use 5ml of CALiMAGic per gallon during the first two weeks.

add to water only.

- Keep nutrient solution temperature below 75° F (24° C).
- Change nutrient solution every 7-10 days and top off with fresh water between nutrient changes.
- · Keep nutrient solution aerated.
- For best results maintain nutrient solution pH between 5.5 - 6.5

† For specific growth stages, Floralicious Grow or Bloom may be used in place of Floralicious Plus

10ml

Troubleshooting factors to consider:

feeding aggressive formulas

FLUSH

· Arid, bright, hot environments cause plants to drink more than if they are grown where it's humid, dim, and cool. Thus gardeners should use less concentrated nutrient solutions when growing conditions are more intense in order to lessen the risk of overfeeding.

_

Useful Conversions

5 ml

15 ml

30 ml

946 ml

3.785 L

128 oz

1 Tsp =

1 Tbsp =

l oz

1 Ot

l Gal

l Gal

• The pH (acidity or alkalinity) of a nutrient solution affects the availability of the elements contained within. Use GH pH adjusters to maintain nutrient pH between 5.5 - 6.5.